

8. 气象总

Table with columns for station name, location (latitude/longitude), precipitation, pressure, and temperature (average, maximum, minimum) for various stations like 仁川, 京城, 平壤, etc.

覽 大正六年 續

Table with columns for water vapor, temperature, cloudiness, sunshine, precipitation (total, annual average, maximum), wind (average, maximum, direction), and weather days (clear, cloudy, rainy, stormy) for the year 1917.

9. 中央氣象臺外十四測候所累年

Table showing annual average pressure (耗) for 14 stations: 臺北, 長崎, 廣島, 大阪, 高知, 東京, 京都, 境, 新潟, 青森, 札幌, 根室, 大泊, 京城, 大連. Includes monthly data for 1917.

及最近一年ノ月別氣象

Table showing monthly temperature (攝氏) for the same 14 stations as above, including monthly data for 1917.

9. 中央氣象臺外十四測候所累年

及最近一年ノ月別氣象 續

	臺北	長崎	廣島	大阪	高知	東京	京都	境	新潟	青森	札幌	根室	大泊	京城	大連
氣 溫 (攝氏) 最高平均															
自明治十九年至同二十三年平均	—	20.8	19.6	20.0	20.4	18.6	19.5	18.2	16.7	13.8	12.4	9.6	—	—	—
自同二十四年至同二十八年平均	—	21.1	19.7	19.9	20.7	19.0	20.2	18.6	16.7	13.4	11.9	9.2	—	—	—
自同二十九年至同三十三年平均	—	19.9	19.4	19.6	21.1	18.4	19.8	18.5	16.5	13.4	11.5	8.5	—	—	—
自同三十四年至同三十八年平均	25.6	19.4	19.5	19.8	21.1	18.3	20.1	18.1	16.5	13.7	12.1	9.2	—	—	—
自同三十九年至同四十四年平均	26.2	19.5	19.7	19.5	21.0	17.9	20.1	17.9	16.5	13.0	11.4	8.5	6.5	—	14.2
自同四十四年至大正四年平均	26.1	19.6	19.9	19.7	21.4	18.9	20.4	18.5	16.7	14.0	11.7	8.8	6.3	16.0	14.4
大正五年	26.3	20.4	20.7	20.5	21.6	19.2	20.7	19.1	17.3	14.6	12.5	10.0	8.1	16.5	14.8
大正六年	25.1	18.7	19.2	19.3	20.2	18.5	19.5	17.7	16.3	14.4	12.1	9.0	7.0	15.5	14.1
一月	17.0	6.5	7.2	7.3	9.7	8.4	7.2	5.0	3.7	2.5	-1.6	-0.8	-4.8	-3.7	-4.3
二月	18.3	8.5	9.1	9.1	11.5	10.4	9.4	6.7	4.9	3.7	-0.6	-2.8	-6.1	1.9	-1.0
三月	18.8	11.9	11.8	11.3	14.3	11.3	11.9	10.1	8.3	5.2	2.0	0.1	-2.2	8.8	6.4
四月	23.2	18.3	18.5	17.9	19.3	17.7	18.8	16.9	14.8	12.3	9.7	6.3	3.6	17.1	15.1
五月	26.8	21.4	21.7	21.7	21.9	20.8	22.6	20.9	19.4	17.0	15.8	11.4	9.7	20.3	20.7
六月	32.3	24.9	25.5	25.6	25.6	23.5	26.6	24.6	22.0	21.2	20.4	14.0	13.4	28.4	25.7
七月	32.2	30.8	31.5	32.0	29.8	30.3	33.0	30.4	30.1	26.2	24.3	17.6	16.8	31.0	27.5
八月	33.2	29.5	31.0	31.3	29.9	29.5	30.9	29.7	29.6	28.4	27.1	18.8	21.3	30.0	28.6
九月	32.0	28.2	28.4	28.8	28.8	25.4	28.5	26.8	25.8	23.8	21.7	18.2	17.5	25.1	24.1
十月	27.0	21.6	21.9	22.1	23.6	20.6	22.0	20.3	19.6	18.5	16.7	15.3	11.9	20.2	18.7
十一月	22.6	14.6	15.0	14.4	16.6	13.9	14.0	13.6	10.7	8.9	6.3	6.9	2.5	8.4	8.8
十二月	17.9	8.1	9.1	9.5	11.2	10.4	9.2	7.0	6.3	4.8	3.5	3.2	0.3	-1.2	-1.6
氣 溫 (攝氏) 最低平均															
自明治十九年至同二十三年平均	—	12.0	10.5	10.5	11.6	9.9	8.7	10.6	9.5	5.3	2.3	2.6	—	—	—
自同二十四年至同二十八年平均	—	12.2	10.2	11.1	11.1	9.9	8.5	10.4	9.3	5.2	1.3	2.2	—	—	—
自同二十九年至同三十三年平均	—	12.2	10.2	10.5	11.2	9.8	8.2	10.5	9.3	5.2	1.0	1.4	—	—	—
自同三十四年至同三十八年平均	18.5	12.0	10.1	10.8	11.4	9.8	7.8	10.1	9.0	5.5	1.6	2.1	—	—	—
自同三十九年至同四十四年平均	18.5	11.8	9.9	10.5	11.1	9.5	7.8	9.8	8.8	4.9	1.2	1.4	-1.5	—	6.5
自同四十四年至大正四年平均	18.6	12.3	10.3	11.3	11.5	10.1	8.5	10.1	9.3	5.5	1.8	1.5	-1.9	6.0	6.2
大正五年	18.7	13.2	11.1	12.2	12.4	10.6	9.8	11.2	9.9	6.2	2.6	3.4	-0.1	6.4	6.3
大正六年	17.4	11.7	9.3	10.7	10.3	9.4	8.2	9.7	8.9	5.6	2.2	2.3	-0.7	4.8	6.0
一月	10.2	0.4	-2.8	-0.4	-1.8	-2.5	-3.2	-1.5	-1.4	-5.3	-13.2	-7.6	-13.0	-14.4	-12.3
二月	9.8	1.7	-1.5	0.1	-0.4	-0.7	-2.7	-0.5	-1.2	-4.5	-10.2	-9.7	-15.6	-8.8	-8.4
三月	12.7	4.3	1.6	2.8	3.4	2.1	0.5	2.3	0.8	-3.2	-6.1	-6.8	-11.7	-2.2	-1.6
四月	17.0	9.6	6.6	8.1	9.0	8.0	5.7	6.7	5.8	2.2	0.3	-0.4	-2.6	4.1	5.3
五月	18.5	12.8	10.2	11.4	11.3	10.6	8.1	9.6	9.3	6.2	3.9	3.1	0.6	9.0	10.3
六月	23.3	18.8	17.2	17.4	18.3	16.2	15.7	16.0	14.8	12.2	9.5	6.9	5.3	15.8	17.0
七月	23.5	23.3	22.7	23.5	22.4	22.0	21.6	22.1	21.2	18.4	15.8	10.9	10.4	21.6	21.2
八月	24.7	22.9	21.9	22.7	21.4	21.5	20.7	21.9	21.0	18.2	16.1	13.1	14.3	20.7	21.9
九月	23.2	21.9	20.5	20.8	21.4	19.4	19.2	20.1	18.5	15.7	11.6	11.7	8.8	15.8	16.3
十月	20.3	15.1	13.0	14.8	15.2	13.3	12.8	13.5	13.2	9.2	5.9	8.7	4.0	7.6	9.6
十一月	15.9	7.3	3.4	5.3	4.6	4.2	2.1	5.1	3.9	0.8	-2.5	0.4	-3.9	-1.3	0.5
十二月	10.5	2.2	-1.2	1.6	-0.9	-1.2	-2.0	1.1	0.8	-2.6	-5.0	-2.3	-5.0	10.2	-8.4
氣 溫 (攝氏) 平均較差															
自明治十九年至同二十三年平均	—	8.8	9.1	9.5	8.8	8.8	10.8	7.6	7.2	8.5	10.1	7.0	—	—	—
自同二十四年至同二十八年平均	—	8.9	9.5	8.8	9.6	9.0	11.7	8.2	7.4	8.2	10.6	7.1	—	—	—
自同二十九年至同三十三年平均	—	7.6	9.2	8.4	9.9	8.6	11.6	8.0	7.2	8.2	10.5	6.9	—	—	—
自同三十四年至同三十八年平均	7.5	7.4	9.4	9.0	9.7	8.5	12.3	8.0	7.5	8.2	10.5	7.0	—	—	—
自同三十九年至同四十四年平均	7.5	7.7	9.7	9.0	10.0	8.4	12.3	8.1	7.7	8.1	10.2	7.1	8.0	—	7.7
自同四十四年至大正四年平均	7.7	7.3	9.7	8.3	9.9	8.8	12.0	8.4	7.4	8.5	9.8	7.3	8.2	10.0	8.2
大正五年	7.6	7.2	9.7	8.3	9.2	8.6	10.9	7.9	7.4	8.4	9.8	6.7	8.5	10.1	8.5
大正六年	7.7	7.0	9.9	8.6	9.9	9.1	11.3	7.9	7.4	8.8	9.9	6.7	7.7	10.7	8.1
一月	6.8	6.2	10.0	7.7	11.5	11.0	10.4	6.5	5.1	7.9	11.6	6.8	8.2	10.7	8.0
二月	8.6	6.7	10.7	9.0	11.9	11.2	12.2	7.2	6.1	8.2	9.6	7.0	9.5	10.7	7.4
三月	6.1	7.6	10.2	8.5	10.9	9.1	11.4	7.7	7.5	8.4	8.1	6.9	9.5	11.0	8.0
四月	6.2	8.8	11.9	9.8	10.3	9.7	13.1	10.2	9.0	10.1	9.4	6.8	6.2	13.0	9.9
五月	8.3	8.5	11.4	10.3	10.6	10.3	14.5	11.3	10.1	10.8	11.9	8.3	9.1	11.2	10.4
六月	9.0	6.1	8.3	8.2	7.4	7.3	10.9	8.5	7.2	9.0	10.8	7.1	8.1	12.6	8.7
七月	8.7	7.5	8.8	8.5	7.5	8.3	11.5	8.3	9.0	7.8	8.5	6.7	6.4	9.5	6.3
八月	9.2	6.6	9.1	8.6	8.5	7.9	10.3	7.8	8.6	10.1	11.0	5.7	7.0	9.4	6.7
九月	8.7	6.3	7.8	7.9	7.4	5.9	9.3	6.7	7.3	8.2	10.1	6.5	8.7	9.3	7.9
十月	6.7	6.5	9.0	7.3	8.4	7.4	9.2	6.7	6.4	9.4	10.7	6.6	7.9	12.6	9.1
十一月	6.7	7.3	11.6	9.1	12.0	9.7	12.0	8.5	6.8	8.1	8.8	6.6	6.4	9.7	8.4
十二月	7.4	5.9	10.4	7.9	12.1	11.6	11.2	5.9	5.5	7.4	8.5	5.5	5.3	9.0	6.8

	臺北	長崎	廣島	大阪	高知	東京	京都	境	新潟	青森	札幌	根室	大泊	京城	大連
濕 度 (%) 平 均															
自明治十九年至同二十三年平均	—	77.3	77.4	75.4	75.6	75.2	76.6	76.1	78.0	78.5	80.0	80.5	—	—	—
自同二十四年至同二十八年平均	—	73.8	75.3	69.8	74.2	72.7	76.7	74.7	78.2	77.4	79.4	78.4	—	—	—
自同二十九年至同三十三年平均	—	73.4	74.8	74.0	75.0	75.1	78.5	80.9	81.6	76.7	80.7	78.4	—	—	—
自同三十四年至同三十八年平均	81.2	73.6	73.6	73.9	76.6	75.7	78.2	83.4	81.2	77.6	78.4	80.4	—	—	—
自同三十九年至同四十四年平均	81.6	73.3	72.2	73.4	75.0	73.5	77.0	81.0	79.0	77.0	78.1	82.3	83.0	—	66.0
自同四十四年至大正四年平均	82.0	72.0	71.0	74.0	76.0	74.0	76.0	81.0	80.0	77.0	79.0	82.0	83.0	70.0	66.0
大正五年	82.0	73.0	75.0	74.0	76.0	76.0	76.0	80.0	79.0	77.0	77.0	82.0	82.0	72.0	66.0
大正六年	81.0	74.0	75.0	72.0	75.0	72.0	74.0	82.0	79.0	77.0	79.0	83.0	83.0	70.0	64.0
一月	80	69	70	65	64	59	70	84	84	81	86	79	79	67	60
二月	80	69	70	67	65	56	71	83	82	77	81	84	79	67	61
三月	83	70	74	71	70	66	71	80	75	73	79	75	62	57	57
四月	85	68	69	70	72	69	67	77	72	74	73	81	79	61	47
五月	83	73	71	71	75	73	69	79	72	71	69	81	82	72	55
六月	80	87	78	77	85	82	77	83	83	78	79	89	87	66	69
七月	80	79	77	77	85	79	72	82	79	82	87	94	92	80	81
八月	79	79	77	77	82	80	76</								

9. 中央氣象臺外十四測候所

累年及最近一年ノ月別氣象 續

	臺北	長崎	廣島	大阪	高知	東京	京都	境	新潟	青森	札幌	根室	大泊	京城	大連
風 (米/秒) 平均速度															
自明治十九年至同二十三年平均	—	2.1	2.2	3.7	2.5	3.4	1.8	2.6	3.3	3.3	3.6	4.5	—	—	—
自同二十四年至同二十八年平均	—	2.6	2.9	3.2	1.6	3.7	2.0	3.1	5.0	3.2	3.8	6.1	—	—	—
自同二十九年至同三十三年平均	—	3.8	3.6	3.6	2.1	3.7	2.0	3.6	5.1	3.7	4.7	6.9	—	—	—
自同三十四年至同三十八年平均	—	5.3	—	3.8	2.4	3.6	1.9	3.9	5.0	3.7	4.9	6.8	—	—	—
自同三十九年至同四十二年平均	4.7	5.4	2.6	3.8	—	3.8	2.1	3.9	4.9	3.7	5.1	6.6	6.1	—	6.4
自同四十三年至大正四年平均	4.6	5.5	2.9	4.9	2.4	3.7	2.3	3.8	5.3	5.0	5.1	7.0	6.5	2.6	6.2
大正五年	4.3	5.4	2.6	4.3	2.1	3.9	2.6	3.7	4.8	4.9	5.1	7.0	6.6	2.5	6.1
同六年	4.7	5.3	2.7	5.2	2.2	3.7	2.9	4.2	5.4	5.1	4.7	6.9	6.3	2.5	6.2
大正六年	(一) 5.2	6.5	3.1	8.0	3.0	3.4	3.8	5.6	8.5	5.1	4.2	8.4	7.2	2.5	7.5
	(二) 4.4	6.3	2.9	6.2	2.7	3.9	3.2	4.2	7.2	5.1	4.6	5.5	6.4	2.5	6.7
	(三) 6.4	6.2	2.7	5.4	2.6	4.5	3.6	4.6	6.3	6.3	5.6	6.9	7.3	2.8	8.1
	(四) 4.9	5.5	2.8	4.7	2.5	4.7	3.3	4.4	4.7	5.2	6.3	7.3	7.6	3.0	6.0
	(五) 4.0	5.0	2.7	4.4	2.0	3.9	2.8	3.9	4.2	5.8	5.6	7.2	6.2	3.0	4.4
	(六) 2.3	6.7	2.7	4.6	1.5	3.2	2.6	4.8	4.4	5.2	5.3	6.3	4.9	2.6	5.1
	(七) 4.2	5.0	2.5	4.2	1.5	4.0	2.6	2.9	3.6	4.0	4.2	4.9	4.5	2.2	6.9
	(八) 4.2	5.4	2.6	4.5	1.7	3.7	2.9	4.0	3.9	3.8	4.8	6.6	4.4	2.5	5.9
	(九) 4.0	4.6	2.3	4.0	1.7	2.9	2.1	3.3	3.9	4.5	4.2	5.6	5.4	2.2	4.6
	(十) 5.4	4.8	2.5	4.6	2.2	3.5	2.4	3.5	4.2	5.3	4.1	7.6	7.4	1.7	5.4
	(十一) 6.3	3.1	2.5	4.6	2.4	3.7	2.2	3.5	6.1	5.5	4.0	8.1	7.9	1.6	6.1
	(十二) 4.7	5.0	2.9	7.1	2.6	3.2	3.4	5.3	8.0	5.4	3.6	8.2	6.5	2.9	7.9
風 平均方向															
自明治十九年至同二十三年平均	北78°東	北14°東	北2°西	北2°東	南46°西	北8°西	北9°東	北62°東	南71°西	南57°西	南32°東	南39°西	北2°東	—	南87°西
自同二十四年至同二十八年平均	北78°東	北1°東	北	北6°西	南55°西	北8°西	北12°西	北8°西	南23°西	南79°西	南14°西	南15°西	北39°西	北27°西	北79°西
自同二十九年至同三十三年平均	北80°東	北25°西	北12°西	北37°西	南52°西	北23°西	北55°西	北58°西	南52°西	南69°西	南28°東	南29°西	北20°東	北52°西	北66°西
自同三十四年至同三十八年平均	(一) 北73°東	北23°西	北22°西	北77°西	南70°西	北47°西	北83°西	北88°西	南75°西	南57°西	南25°東	北60°西	北11°東	北44°西	北35°西
	(二) 北77°東	北30°西	北17°西	北69°西	南66°西	北40°西	北53°西	北81°西	南69°西	南68°西	南33°東	北30°西	北20°東	北77°西	北26°西
	(三) 北75°東	北14°西	北7°東	北13°西	南62°西	北21°西	北32°西	北7°西	南49°西	南57°西	南22°東	北40°西	北15°東	北40°西	北62°西
	(四) 北76°東	北36°西	北7°西	北1°東	南43°西	北11°東	北3°西	北35°西	南56°西	南85°西	南	南17°西	北76°西	北83°西	南64°西
	(五) 北77°東	南58°西	北59°西	北52°東	南32°西	南6°西	北38°西	北69°西	南59°西	南80°西	南39°東	南25°西	北77°西	南83°西	南16°西
	(六) 南14°西	南16°西	南85°西	北38°西	南31°西	南75°東	北19°東	南48°東	南52°西	北18°西	北82°東	南30°東	南55°東	南64°西	南4°東
	(七) 南86°東	南22°西	南64°西	南8°西	南15°西	南19°東	北69°東	北58°東	北33°西	北34°西	北35°東	南51°東	南42°東	北87°西	南22°東
	(八) 南34°東	南8°西	北64°西	北30°西	南40°西	南32°東	北5°東	南70°東	南15°東	北62°東	南53°東	南32°東	南28°東	北35°東	南16°西
	(九) 北81°東	北12°東	北12°東	北12°東	南34°西	北42°東	北49°西	北42°東	南56°東	南13°西	北43°東	北39°東	北39°東	北13°西	北13°西
	(十) 北75°東	北29°東	北23°東	北13°東	南58°西	北3°西	北52°西	北35°東	南26°東	南51°西	南1°西	南25°西	北69°西	北10°西	北85°西
	(十一) 北76°東	北9°東	北1°東	北12°西	南62°西	北28°西	北74°西	北71°西	南37°西	南63°西	南39°西	南32°西	北	北44°西	北48°西
	(十二) 北84°東	北8°西	北16°西	北79°西	南63°西	北44°西	南61°西	北81°西	南70°西	南56°西	南4°東	南73°西	北4°東	北46°西	北5°西
快晴日數															
自明治十九年至同二十三年平均	—	42	44	42	69	51	25	21	24	25	27	35	—	—	—
自同二十四年至同二十八年平均	—	46	52	54	83	62	33	25	19	24	16	28	—	—	—
自同二十九年至同三十三年平均	—	41	32	27	50	55	26	23	14	29	22	30	—	—	—
自同三十四年至同三十八年平均	34	46	43	46	68	63	29	22	19	34	24	30	—	—	—
自同三十九年至同四十二年平均	27	30	34	42	46	52	30	23	19	28	20	36	38	—	112
自同四十三年至大正四年平均	31	42	35	53	54	56	34	19	20	30	22	39	30	68	112
大正五年	23	36	26	28	50	40	22	18	27	22	27	32	45	59	111
同六年	23	30	35	54	69	66	39	26	27	37	28	36	37	81	122
大正六年	(一) 2	0	1	6	13	15	4	0	0	0	1	5	2	17	20
	(二) 4	2	3	8	6	8	3	3	1	1	1	3	3	11	16
	(三) 0	3	4	4	3	4	2	2	0	3	3	4	7	9	14
	(四) 0	5	4	5	4	3	5	2	3	4	2	2	1	3	9
	(五) 1	5	7	9	6	7	7	5	6	6	3	2	4	4	9
	(六) 0	0	1	1	2	0	0	1	0	4	6	1	1	3	6
	(七) 1	3	3	2	4	0	0	5	9	1	1	0	3	3	3
	(八) 4	3	3	2	4	0	4	3	5	8	5	1	0	3	3
	(九) 5	1	1	0	1	0	0	0	1	3	1	2	6	2	4
	(十) 2	3	1	1	1	1	1	1	2	5	4	6	8	4	16
	(十一) 1	3	3	6	10	10	4	0	0	0	2	0	8	2	9
	(十二) 3	2	0	7	12	18	4	0	0	0	1	2	0	14	13

	臺北	長崎	廣島	大阪	高知	東京	京都	境	新潟	青森	札幌	根室	大泊	京城	大連
曇天日數															
自明治十九年至同二十三年平均	—	132	119	141	126	140	157	192	174	156	137	131	—	—	—
自同二十四年至同二十八年平均	—	128	100	137	116	126	125	173	194	174	155	157	—	—	—
自同二十九年至同三十三年平均	—	134	124	157	136	140	147	186	192	160	155	152	—	—	—
自同三十四年至同三十八年平均	171	153	123	122	142	146	157	192	208	157	146	166	—	—	—
自同三十九年至同四十二年平均	185	173	124	112	166	160	150	189	200	168	162	157	150	—	77
自同四十三年至大正四年平均	183	154	130	102	144	155	120	184	200	164	162	154	184	103	81
大正五年	189	158	146	117	161	170	142	212	209	167	136	159	136	135	88
同六年	188	185	141	95	140	137	109	186	200	147	160	158	166	105	77
大正六年	(一) 20	21	8	0	1	3	2	25	23	20	14	9	14	2	2
	(二) 13	20	7	2	8	4	4	20	16	11	11	10	12	6	2
	(三) 23	14	13	8	11	10	7	21	20	17	14	7	4	9	4
	(四) 25	11	11	8	12	14	10	10	12	11	14	12	12	6	5
	(五) 16	12	8	7	9	10	8	9	11	10	11	15	15	12	9
	(六) 11	24	17	17	21	21	17	15	20	9	14	16	15	13	10
	(七) 15	10	10	6	12	12	7	7	7	8	20	25	24	13	13
	(八) 4	14	14	6	14	14	10	6	13	7	8	24	18	14	11
	(九) 5	17	24	17	24	24	16	18	20	15	16	14	9	12	11
	(十) 17	15	15	17	22	18	18	18	20	12	11	12	8	7	1
	(十一) 20	7	6	5	5	7	7	15	19	14	15	6	14	7	4
	(十二) 19	20	8	2	1	0	3	22	20	13	12	8	21	4	5
降水日數															
自明治十九年至同二十三年平均	—	161	132	131	145	142	155	201	221	209	176	256	—	—	—
自同二十四年至同二十八年平均	—	162	125	124	134	136	159	203	229	215	196	261	—	—	—
自同二十九年至同三十三年平均	—	160	136	141	150	149	167	203	231	211	196	252	—	—	—
自同三十四年至同三十八年平均	184	167	139	147	156	155	163	205	234	219	189	253	—	—	—
自同三十九年至同四十二年平均	187	167	143	144	148	148	166	210</							