

338. 九種傳染病

猩紅熱及[ペスト]ハ明治三十五年五月ヨリ又[バラチフス]ハ同四十四年八月ヨリ傳染病豫防法ニ加ヘラレタルモノナリ、故ニ明治三十年

Table with columns for year (年次), cholera (虎列刺), typhoid (赤痢), typhus (腸室扶斯), paratyphoid (バラチフス), measles (痘瘡), and scarlet fever (發疹室扶斯). Rows list years from Meiji 20 to 1926.

患者及死亡者 (全國)

ニ於ケル猩紅熱及[ペスト]ハ五月以降ノ數ニシテ同四十四年ニ於ケル[バラチフス]ハ八月以降ノ數ナリ○本表ニハ在監人ノ事實ヲ包含ス

Table showing national statistics for scarlet fever (猩紅熱), cholera (虎列刺), typhoid (赤痢), typhus (腸室扶斯), paratyphoid (バラチフス), measles (痘瘡), and scarlet fever (發疹室扶斯) from Meiji 20 to 1926.

339. 九種傳染病患

Table showing regional statistics for nine types of infectious diseases across various prefectures and provinces in Japan, including Hokkaido, Tohoku, Kanto, and others.

患者及死亡者 大正六年

Table showing regional statistics for nine types of infectious diseases in the year 1917 (Taisho 6), covering various prefectures and provinces.