

38. 死亡者死因年齡別 (全國) 大正六年

Table with 15 columns: 年 齡, 腸室扶斯, 麻疹, 百日咳, 實及布格魯利亞, 流行性感胃, 赤痢, 肺結核, 其核性他疾, 癌, 脚氣, 腦膜炎, 腦軟化血及腦, 心的臟疾患, 急性氣管支. Rows include age groups from 0-1 to 95+ and a total row.

Table with 15 columns: 年 齡, 慢性氣管支, 肺炎及支氣管, 胃ノ疾患, 下痢及腸炎, 腎臟炎及病, 婦人生殖, 產熱, 爾及他疾, 畸形弱質先天, 老衰, 自殺, 爾他依ノ死因, 其患ノ他疾, 合計. Rows include age groups from 0-1 to 95+ and a total row.

39. 死亡者男女及死因別 大正六年

Table with 16 columns: 地 方, 腸室扶斯, 麻疹, 百日咳, 實布格魯利亞, 流行性感胃, 赤痢, 肺結核. Rows list various prefectures and counties (e.g., 北海道, 青森縣, 岩手縣) and a total row.



39. 死亡者男女及死因別 大正六年 續

Table with 15 columns: 地方 (Location), 畸形及先天性弱質 (Congenital anomalies), 老衰 (Senescence), 自殺 (Suicide), 爾他ノ外因=依ル死 (Death from external causes), 其他ノ疾患 (Other diseases), 合計 (Total). Sub-columns include male/female counts for each category and a total count.

40. 現住人口五萬以上ノ市區及町別婚姻、離婚、生産、死産、死亡 大正六年

Table with 14 columns: 市区町 (City/Town), 婚姻 (Marriage), 離婚 (Divorce), 生産 (Birth), 死産 (Stillbirth), 死亡 (Death), 死亡ニ對シ生産ノ倍 (Ratio of death to birth), and 人口千ニ付 (Per 1000 population). Sub-columns include counts for marriage/divorce and birth/stillbirth/death, and ratios for marriage/divorce and birth/stillbirth/death.

レハ減ヲ示ス