

第二八表 現在人死亡者年齡別 續

Table with columns for age groups (年 齡), sex (男 女), total (合 計), and death rate per 100 (女百 = 付男). It is divided into two main sections for different age ranges.

第二九表 現在人死亡者年齡大別累年比較

Table comparing death rates across different age groups (年 齡) from 1906 to 1911 (明治三十四年 to 明治三十一年).

明治三十一年ノ内務省ノ調査ニ係ル現住人死亡者ナリ

第三〇表 現在人死亡者死因年齡別

明治三十四年

Table showing causes of death (死因) by age group (年 齡). Causes include cholera (腸空 扶斯), typhoid (發疹 窒扶), diphtheria (麻刺 利亞), etc.

Table showing causes of death (死因) by age group (年 齡). Causes include pneumonia (肺充血), tuberculosis (肺結核), etc.

第三〇表 現在人死

Table showing death statistics by age group (1 year to 30+ years) and cause of death (e.g., abdominal inflammation, kidney disease, etc.).

第三一表 現在人

Table showing population statistics by region (e.g., Tokyo, Osaka, etc.) and various health indicators.

亡者死因年齡別 續

Table showing death statistics by age group (35+ to 70+) and cause of death, continuing from the previous table.

死亡者死因地方別 明治三十四年 (*ハ男女不詳)

Table showing death statistics by region (e.g., Tokyo, Osaka, etc.) and cause of death for the year 1901.